


## Open Standard Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-09T	0.56-0.63	25	22.0	0.75	4.38	1.38	15.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-09T	0.69-0.75	42	25.0	1.00	4.56	1.63	17.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-09T	0.81-0.88	59	25.7	1.13	5.19	2.00	17.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-09T	0.94-1.00	83	28.9	1.25	5.75	2.25	18.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9064-12T	0.94-1.00	86	31.9	1.25	5.75	2.25	21.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-12T	1.06-1.13	107	33.1	1.38	6.00	2.50	21.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-12T	1.19-1.25	147	35.5	1.63	6.75	2.75	22.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-12T	1.31-1.38	189	37.9	1.75	7.19	3.00	23.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-15T	1.44-1.50	269	42.8	2.00	8.13	3.50	26.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-15T	1.56-1.75	371	44.5	2.25	9.00	3.75	28.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-18T	1.81-2.00	531	51.9	2.50	10.25	4.25	32.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-18T	2.06-2.25	767	57.0	2.75	11.50	4.75	35.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-18T	2.31-2.38	953	60.5	3.00	12.69	5.00	36.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-21T	2.44-2.63	1230	66.1	3.25	13.38	5.75	40.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-21T	2.69-2.75	1457	68.4	3.50	14.06	5.75	41.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-21T	2.88-3.00	1873	74.1	3.75	15.25	6.75	45.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open 24 Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-24T	0.56-0.63	28	38.0	0.75	4.38	1.38	31.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-24T	0.69-0.75	45	41.0	1.00	4.56	1.63	33.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-24T	0.81-0.88	64	42.7	1.13	5.19	2.00	34.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-24T	0.94-1.00	92	44.9	1.25	5.75	2.25	34.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-24T	1.06-1.13	114	47.1	1.38	6.00	2.50	35.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-24T	1.19-1.25	157	49.5	1.63	6.75	2.75	36.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-24T	1.31-1.38	201	52.9	1.75	7.19	3.00	38.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-24T	1.44-1.50	283	55.8	2.00	8.13	3.50	39.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-24T	1.56-1.75	390	57.5	2.25	9.00	3.75	41.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-24T	1.81-2.00	548	62.9	2.50	10.25	4.25	43.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-24T	2.06-2.25	787	67.0	2.75	11.50	4.75	45.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-24T	2.31-2.38	979	70.5	3.00	12.69	5.00	46.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-24T	2.44-2.63	1253	73.1	3.25	13.38	5.75	47.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-24T	2.69-2.75	1487	75.4	3.50	14.06	5.75	48.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-24T	2.88-3.00	1908	81.1	3.75	15.25	6.75	52.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00
L-9076-24T	3.13-3.25	2375	82.7	4.00	17.25	7.00	53.2	14.50	12.50	8.25	4.00	7.75	13.00	17.13	24.50
L-9077-24T	3.38-3.50	2928	89.2	4.25	18.31	7.25	57.1	15.00	13.00	8.50	4.25	8.00	13.88	19.31	36.06
L-9078-24T	3.63-3.75	3489	94.0	4.50	19.38	7.50	60.5	16.00	13.50	9.00	4.50	8.25	14.75	21.13	27.13
L-9079-24T	3.88-4.00	4113	95.1	4.75	20.44	7.88	61.9	17.00	14.25	9.63	4.75	8.50	15.72	22.94	29.44



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open 36 Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-36T	0.56-0.63	30	50.0	0.75	4.38	1.38	43.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-36T	0.69-0.75	49	55.0	1.00	4.56	1.63	47.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-36T	0.81-0.88	69	56.7	1.13	5.19	2.00	48.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-36T	0.94-1.00	97	57.9	1.25	5.75	2.25	47.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-36T	1.06-1.13	121	48.7	1.38	6.00	2.50	60.1	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-36T	1.19-1.25	166	63.5	1.63	6.75	2.75	50.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-36T	1.31-1.38	211	65.9	1.75	7.19	3.00	51.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-36T	1.44-1.50	297	68.8	2.00	8.13	3.50	52.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-36T	1.56-1.75	409	70.5	2.25	9.00	3.75	54.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-36T	1.81-2.00	572	76.9	2.50	10.25	4.25	57.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-36T	2.06-2.25	817	80.0	2.75	11.50	4.75	58.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-36T	2.31-2.38	1016	85.5	3.00	12.69	5.00	60.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-36T	2.44-2.63	1296	87.1	3.25	13.38	5.75	61.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-36T	2.69-2.75	1538	91.4	3.50	14.06	5.75	64.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-36T	2.88-3.00	1967	95.1	3.75	15.25	6.75	66.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00
L-9076-36T	3.13-3.25	2446	99.7	4.00	17.25	7.00	70.2	14.50	12.50	8.25	4.00	7.75	13.00	17.13	24.50
L-9077-36T	3.38-3.50	3007	105.2	4.25	18.31	7.25	73.1	15.00	13.00	8.50	4.25	8.00	13.88	19.31	36.06
L-9078-36T	3.63-3.75	3592	108.0	4.50	19.38	7.50	74.5	16.00	13.50	9.00	4.50	8.25	14.75	21.13	27.13
L-9079-36T	3.88-4.00	4218	110.1	4.75	20.44	7.88	76.9	17.00	14.25	9.63	4.75	8.50	15.72	22.94	29.44



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open 48 Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-48T	0.56-0.63	32	62.0	0.75	4.38	1.38	55.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-48T	0.69-0.75	53	65.0	1.00	4.56	1.63	57.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-48T	0.81-0.88	75	66.7	1.13	5.19	2.00	58.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-48T	0.94-1.00	102	69.9	1.25	5.75	2.25	59.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-48T	1.06-1.13	128	71.1	1.38	6.00	2.50	59.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-48T	1.19-1.25	175	73.5	1.63	6.75	2.75	60.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-48T	1.31-1.38	221	75.9	1.75	7.19	3.00	61.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-48T	1.44-1.50	311	78.8	2.00	8.13	3.50	62.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-48T	1.56-1.75	426	80.5	2.25	9.00	3.75	64.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-48T	1.81-2.00	596	84.9	2.50	10.25	4.25	65.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-48T	2.06-2.25	847	90.0	2.75	11.50	4.75	68.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-48T	2.31-2.38	1053	93.5	3.00	12.69	5.00	69.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-48T	2.44-2.63	1339	97.1	3.25	13.38	5.75	71.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-48T	2.69-2.75	1589	99.4	3.50	14.06	5.75	72.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-48T	2.88-3.00	2026	105.1	3.75	15.25	6.75	76.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00
L-9076-48T	3.13-3.25	2517	106.7	4.00	17.25	7.00	77.2	14.50	12.50	8.25	4.00	7.75	13.00	17.13	24.50
L-9077-48T	3.38-3.50	3086	113.2	4.25	18.31	7.25	81.1	15.00	13.00	8.50	4.25	8.00	13.88	19.31	36.06
L-9078-48T	3.63-3.75	3694	118.0	4.50	19.38	7.50	84.5	16.00	13.50	9.00	4.50	8.25	14.75	21.13	27.13
L-9079-48T	3.88-4.00	4323	119.1	4.75	20.44	7.88	85.9	17.00	14.25	9.63	4.75	8.50	15.72	22.94	29.44



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open 72 Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-72T	0.56-0.63	38	86.0	0.75	4.38	1.38	79.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-72T	0.69-0.75	59	91.0	1.00	4.56	1.63	83.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-72T	0.81-0.88	82	92.7	1.13	5.19	2.00	84.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-72T	0.94-1.00	114	93.9	1.25	5.75	2.25	83.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-72T	1.06-1.13	142	96.1	1.38	6.00	2.50	84.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-72T	1.19-1.25	191	99.5	1.63	6.75	2.75	86.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-72T	1.31-1.38	243	101.9	1.75	7.19	3.00	87.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-72T	1.44-1.50	339	104.8	2.00	8.13	3.50	88.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-72T	1.56-1.75	462	106.5	2.25	9.00	3.75	90.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-72T	1.81-2.00	642	112.9	2.50	10.25	4.25	93.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-72T	2.06-2.25	905	116.0	2.75	11.50	4.75	94.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-72T	2.31-2.38	1121	120.5	3.00	12.69	5.00	96.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-72T	2.44-2.63	1425	123.1	3.25	13.38	5.75	97.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-72T	2.69-2.75	1689	127.4	3.50	14.06	5.75	100.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-72T	2.88-3.00	2250	131.1	3.75	15.25	6.75	102.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00
L-9076-72T	3.13-3.25	2649	135.6	4.00	17.25	7.00	106.1	14.50	12.50	8.25	4.00	7.75	13.00	17.13	24.50
L-9077-72T	3.38-3.50	3242	141.2	4.25	18.31	7.25	109.1	15.00	13.00	8.50	4.25	8.00	13.88	19.31	36.06
L-9078-72T	3.63-3.75	3872	143.9	4.50	19.38	7.50	110.4	16.00	13.50	9.00	4.50	8.25	14.75	21.13	27.13
L-9079-72T	3.88-4.00	4531	146.1	4.75	20.44	7.88	112.8	17.00	14.25	9.63	4.75	8.50	15.72	22.94	29.44



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open 96 Take-Up Assemblies


ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9061-96T	0.56-0.63	42	110.0	0.75	4.38	1.38	103.4	2.75	3.00	1.63	0.75	1.50	2.50	3.81	5.88
L-9062-96T	0.69-0.75	71	113.0	1.00	4.56	1.63	105.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9063-96T	0.81-0.88	97	114.7	1.13	5.19	2.00	106.6	4.00	4.00	2.25	1.13	2.00	3.76	5.06	7.31
L-9064-96T	0.94-1.00	133	117.9	1.25	5.75	2.25	107.9	4.50	4.50	2.63	1.25	2.25	4.13	5.81	8.18
L-9065-96T	1.06-1.13	163	119.1	1.38	6.00	2.50	107.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9066-96T	1.19-1.25	228	121.5	1.63	6.75	2.75	108.1	5.50	6.00	3.12	1.62	3.00	4.88	6.38	9.75
L-9067-96T	1.31-1.38	281	123.9	1.75	7.19	3.00	109.7	6.00	6.50	3.38	1.75	3.00	5.38	6.94	10.38
L-9068-96T	1.44-1.50	389	126.8	2.00	8.13	3.50	110.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-96T	1.56-1.75	527	128.5	2.25	9.00	3.75	112.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-96T	1.81-2.00	718	132.9	2.50	10.25	4.25	113.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-96T	2.06-2.25	995	138.0	2.75	11.50	4.75	116.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9072-96T	2.31-2.38	1230	141.5	3.00	12.69	5.00	117.2	10.00	11.25	5.75	3.00	5.38	9.75	11.81	18.00
L-9073-96T	2.44-2.63	1550	145.1	3.25	13.38	5.75	119.4	11.50	11.50	6.63	3.25	6.00	10.50	12.81	19.25
L-9074-96T	2.69-2.75	1834	147.4	3.50	14.06	5.75	120.7	11.50	11.50	6.63	3.50	6.25	11.38	13.38	21.13
L-9075-96T	2.88-3.00	2309	153.1	3.75	15.25	6.75	124.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00
L-9076-96T	3.13-3.25	2838	154.6	4.00	17.25	7.00	125.1	14.50	12.50	8.25	4.00	7.75	13.00	17.13	24.50
L-9077-96T	3.38-3.50	3453	161.2	4.25	18.31	7.25	129.1	15.00	13.00	8.50	4.25	8.00	13.88	19.31	36.06
L-9078-96T	3.63-3.75	4094	165.9	4.50	19.38	7.50	132.4	16.00	13.50	9.00	4.50	8.25	14.75	21.13	27.13
L-9079-96T	3.88-4.00	4780	167.1	4.75	20.44	7.88	133.8	17.00	14.25	9.63	4.75	8.50	15.72	22.94	29.44



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.

## Open Special Take-Up Assemblies

ASSEMBLY PMID	STRAND DIA.	TOTAL WT. (LBS)	A	DIA. B	C	DIA. D	E	F	G	H	J	K	M	N	P
L-9062-48BT	.69-.75	55	65.0	1.00	4.56	1.13	57.0	3.25	3.50	1.88	1.00	1.75	3.30	4.44	6.56
L-9065-48BT	1.06-1.13	137	71.1	1.38	6.00	2.00	59.7	5.00	5.00	2.88	1.38	2.50	4.50	6.00	8.62
L-9068-48BT	1.44-1.50	334	78.8	2.00	8.13	2.75	62.9	7.00	7.00	4.00	2.00	3.50	6.50	7.31	11.88
L-9069-24TB	1.56-1.75	409	57.5	2.25	9.00	3.50	41.2	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9069-24TWR	1.75	418	57.5	2.25	9.00	3.75	41.1	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9069-24X1	1.56-1.75	390	57.5	2.25	9.00	3.63	41.2	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9069-26MOD	1.56-1.75	426	60.4	2.25	9.00	3.75	44.0	7.50	7.00	4.50	2.25	4.00	7.20	8.12	13.12
L-9070-24B	1.81-2.00	573	62.9	2.50	10.25	4.47	43.2	8.50	9.50	5.00	2.50	4.50	8.00	8.25	14.63
L-9071-48TJ	2.06-2.25	882	90.0	2.75	11.50	4.75	68.2	9.50	10.00	5.50	2.75	5.00	9.00	10.88	16.44
L-9075-48TJ	2.88-3.00	2205	105.5	3.75	15.25	6.75	76.1	13.50	12.00	7.63	3.75	7.50	12.25	15.50	22.00



**IMPORTANT:** The dimensions shown are for reference only and are subject to change. Please contact your ESCO representative for additional information and pricing.